




Spraying Equipment


Mounted Sprayers

Trailed Sprayers

Fan Sprayers for Field

Orchard Sprayers with Hose

Orchard Sprayer





SPRAYING EQUIPMENT

Mounted Sprayers



NSM Series

Product Description



Mounted Sprayers

NSM	1	2	3	4	5
Boom (Working) Width (m)	6-8-9-10-12	6-8-9-10-12	12	12-16-18	12-16-18
Tank Volume (L)	300-400-500-600-800-1000	200-300-400-500-600	600-800-1000	600-800-1000	800-1000
Tank Type	Polyurethane	Fiberglass	Polyurethane	Polyurethane	Polyurethane
Boom Horizontal Movement	Manual	Manual	Manual	Manual	Manual
Boom Vertical Movement	Fixed	Fixed	Hydraulic-Manual	Hydraulic	Hydraulic
Boom Suspension	No	No	No	Yes	Yes
Pump Flow Rate (L/min)	40-80	40-80	80	80-105	105
Required Tractor Power (hp)	35	35	45	55	65
PTO Speed (rpm)	540	540	540	540	540
NSM	6	7	8	9	10
Boom (Working) Width (m)	12-15-18	12-15-18	12-16-18	12-15-18	12-15-18
Tank Volume (L)	800-1000	800-1000	1000	1000	1000
Tank Type	Polyurethane	Polyurethane	Polyurethane	Polyurethane	Polyurethane
Boom Horizontal Movement	Hydraulic (Horizontal)	Hydraulic (Vertical)	Manual	Hydraulic (Horizontal)	Hydraulic (Vertical)
Boom Vertical Movement	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Boom Suspension	Yes	Yes	Yes	Yes	Yes
Pump Flow Rate (L/min)	105	105	105	105	105
Required Tractor Power (hp)	65	65	85	85	85
PTO Speed (rpm)	540	540	540	540	540
Extra			Tank Cleaning Unit		
Options					
145 L/min Pump Promixer (Mixer From Outside of Tank) Pressure Filter with 2 Unit Pressure Filter with 4 Unit Foam Marker Traffic Kit Balance Piston					

Technical Details



SPRAYING EQUIPMENT

Trailed Sprayers



NST Series

Product Description

OPTIONAL
Thick Boom



OPTIONAL
Balance Piston



OPTIONAL
Traffic Kit



OPTIONAL
Foam Marker



Technical Details

Trailed Sprayers

NST		1	2	3	4
Boom (Working) Width (m)		12	12-16-18	12-15-18	12-15-18
Tank Volume (L)		1000-1600-2000	1000-1600-2000	1000-1600-2000	1000-1600-2000
Tank Type		Fiberglass	Fiberglass Polyurethane	Fiberglass Polyurethane	Fiberglass Polyurethane
Boom Horizontal Movement		Manual	Manual	Hydraulic(Horizontal)	Hydraulic (Vertical)
Boom Vertical Movement		Fixed	Hydraulic	Hydraulic	Hydraulic
Boom Suspension		No	Yes	Yes	Yes
Pump Flow Rate (L/min)		80-105	105	105	105
Required Tractor Power (hp)		65	65	65	65
PTO Speed (rpm)		540	540	540	540
Clearance Type		Normal	Normal	Normal	Normal
NST		5	6	7	8
Boom (Working) Width (m)		12	12-16-18	12-15-18	12-15-18
Tank Volume (L)		1000-1600-2000	1000-1600-2000	1000-1600-2000	1000-1600-2000
Tank Type		Fiberglass	Fiberglass Polyurethane	Fiberglass Polyurethane	Fiberglass Polyurethane
Boom Horizontal Movement		Manual	Manual	Hydraulic(Horizontal)	Hydraulic (Vertical)
Boom Vertical Movement		Fixed	Hydraulic	Hydraulic	Hydraulic
Boom Suspension		No	Yes	Yes	Yes
Pump Flow Rate (L/min)		80-105	105	105	105
Required Tractor Power (hp)		65	65	65	65
Clearance Type		High	High	High	High
Extra			Tank Cleaning Unit		
Options					
145 L/min Pump Pressure Filter with 2 Unit Pressure Filter with 4 Unit Thick Boom Promixer (Mixer From Outside of Tank) Foam Marker Balance Piston Traffic Kit Electronic Hydraulic Control Unit					



SPRAYING EQUIPMENT

Fan Sprayers for Field



NSF Series

Product Description



OPTIONAL
145 L/min Pump



OPTIONAL
Promixer



Fan Sprayers for Field

NSF	1	2
Range (m)	25-40	25-40
Tank Volume (L)	600-800-1000	1000-1200-1600-2000-3000
Tank Type	Fiberglass-Polyethylene	Fiberglass-Polyethylene
Pump Flow Rate (L/min)	105	105
Required Tractor Power (hp)	35	45
PTO Speed (rpm)	540	540
Connection Type	Mounted	Trailed
Extra	Two Stage Gearbox	Two Stage Gearbox
Options		
145 L/min Pump Promixer		

Technical Details



SPRAYING EQUIPMENT

Orchard Sprayers with Hose



NSH Series

Product Description



Orchard Sprayers with Hose

Technical Details

NSH	1	2	3	4	5
Hose Length (m)	15	15	15	2x15	2x15
Tank Volume (L)	100-200	400-500- 600-800-1000	600-1000	400-500- 600-800-1000	1000-1200- 1600-2000-3000
Tank Type	Fiberglass Polyethylene	Fiberglass Polyethylene	Fiberglass Polyethylene	Fiberglass Polyethylene	Fiberglass Polyethylene
Pump Flow Rate (L/min)	26-30	26-30	26-30	80	80-105
Required Tractor Power (hp)	-	-	40	55	65
PTO Speed (rpm)	-	-	-	540	540
Movement	Handcart	Fixed	Trailed	Mounted	Trailed
Extra	Petrol or Electric Engine	Petrol or Electric Engine	Petrol or Electric Engine		
Options					
Trigger Sprayer Gun					




SPRAYING EQUIPMENT

Orchard Sprayer



NSB Series

Product Description



Orchard Sprayer

NSB	1	2	3	4	5	6
Fan Diameter (mm)	600	750	850	750-850	Range 20-45 m	Range 20-45 m
Tank Volume (L)	200-300-400-500-600	200-300-400-500-600	500-600-800-1000	1000-1200-1600-2000-3000	600-800-1000	1000-1200-1600-2000-3000
Number of Nozzles	8	8-12	12	12-16	12	12
Pump Flow Rate (L/min)	80	80-105	105	105-145	105-145	105-145
Required Tractor Power (hp)	35	35	35	45	35	45
PTO Speed (rpm)	540	540	540	540	540	540
Connection Type	Mounted	Mounted	Mounted	Trailed	Mounted	Trailed
Extra			Two Stage Gearbox		Two Stage Gearbox & 360° Tower	
Options						
145 L/min Pump Chrome-Nickel Fan Nozzle Tower Promixer (Mixer From Outside of Tank)						

Technical Details